STATE OF NEW JERSEY DEPARTMENT OF CHILDREN AND FAMILIES OFFICE OF LICENSING/ INSPECTION/VIOLATION REPORT

| UNITED NEIGHBORS DEVELOPMENTAL CCC | | | | | Center ID#: 07UNI0008 | | | County | County: Essex | | |
|------------------------------------|---------------------------|-------------------|---|---|--------------------------|--------------------------|----------------------------------|--------------------------|-------------------------|---------------------|--|
| Address: 487 ORANGE STREET | | | | City: NEWARK, 07107 | | | Phone: (97) | Phone: (973) 350-0221 | | Fax: (973) 350-0623 | |
| License Status: R | : 10.20.201 | 3; T: 4.20.2013; | T: 10.20.201 | 14; T: 1.20.201 | 15; T: 4.2 | 0.2015 | • | | | | |
| Initial Inspection: Due Date(s):* | | | 10/3/2013 11/20/2013 | | 12/12/2013 | 3 | 3/7/2014 | | 4/27/2014 | | |
| 9/3/2013 | Date(s) R | einspection: | 11 | 1/15/2013 | 11/27/2013 | | 2/7/2014 | | 3/27/2014 5/30/ | | 5/30/2014 |
| | | 6/30/2014 | 8 | 8/2/2014 9/19 | | /2014 | 10/22/2014 | 4 | 11/30/2014 | | 1/5/2015 |
| Date(s) Reinspect | ion: | 7/2/2014 | 8 | /19/2014 | 9/22 | /2014 | 10/31/2014 | 4 | 12/16/2014 1/9/2015 | | 1/9/2015 |
| Due Date(s):* | | 1/24/2015 | 2 | 2/27/2015 | 3/18/2015 | | 4/20/2015 | | | | |
| Date(s) Reinspect | ion: | 2/12/2015 | 3 | 3/3/2015 | 4/1/201 | 5EMAIL | | | | | |
| Center is in comp | liance with | requirements a | s of: | 4/6/2015 | | *Rein | spection occurs | on or soc | n after du | e date | |
| PHONE CALL 5.30 | 2014; PHON | IE CALL 6.4.2014; | PHONE CAI | LL 7.2.2014; PH | ONE CALI | L 10.31.2014 | ; CENTER CLOS | ED UNTI | L 1.5.2015; | PRE-EN | NFORCEMENT |
| PHONE CALL 1.12 | .2015; EMAI | L 2.19.2015; PHO | NE CALL 3.2. | .2015; EMAIL 3 | .4.3015; RI | EVISED AS | PER SUPERVISO | OR 3.16.20 | 15; EMAII | 4.1.201 | 5; EMAIL 4.6.2015 |
| Renewal 🗵 In | itial 🗌 | | ncrease 🗌 | Age Change | _ | cation | New Sponsor | Eval | luation igspace | _ | nplaint # |
| Date Cited M/D/Year | Date Abated M/D/Yes | in order to | inspection(s) come into com | conducted by th apliance with the | e Office of MANUAI | Licensing (C OF REQUI | OOL) the above da REMENTS FOR | te(s), the c CHILD CA | enter needs ARE CENT | to take tERS (N. | the following actions J.A.C. 10:122): |
| | | | S | upervision, St | aff/Child | Ratios & S | pace | 1 '1 1 | | | |
| | | I — | | | | | nen 6 or more | children | are prese | ent; on | trips; or with more |
| | | □ 2. P | than 12 school-age children on walks. 2. Provide immediate access to 1 additional adult for the school-age program when it is permitted to operate with only 1 staff member present. | | | | | is | | | |
| | | | | | | | f member at al | ll times. | | | |
| Notes: | | I | | | | | | | | | |
| | | □ 4. I | Develop and | d implement a | a method | to keep tra | ack of all the c | hildren. | | | |
| 12/16/2014 | 1014 1/9/2015 — | | Maintain rec luring napti | in required staff to meet ratios: when children are awake; sleeping; on premises naptime. | | | | | | | |
| Notes: | | | | | | | | | | | |
| | | I — | | staff meet mi | | | ments and thos | se below | 18 years | old are | e directly |
| | | | Limit group chool-age | | fants (und | der 18 mor | nths), 20 childr | en for ea | arly child | hood o | r 30 children for |
| | | □ 8. C | Cease caring | g for children | below 2 | ½ years of | f age. | | | | |
| | | _ | | | | | ow 2 ½ years oprior to 11/5/0 | _ | center ha | is an E | (Educational) |
| | | | | | | | fants and 6 tod | | | | |
| | | □ 11. P | ost the cen | ter's license in | n a prom | inent locat | ion. | | | | |
| | | ☐ 12. C | Operate with | hin the center | 's license | d capacity | and within ea | ch room | 's capacit | y. | |
| Notes: | | 1 | | | | | | | | | |
| | | | | maintain spa | | | r all rooms app | proved by | y the OO | L for c | hildren's use; |
| 9/3/2013 | 11/15/20 | | | children's heal | | | | | | | |

07UNI0008 Center ID# Page 2 of 9 1. RELOCATE FOLDING CHAIRS STACKED IN EXIT CORRIDOR COMING OUT OF ROOM 5. RECITED 2. ENSURE STAFF DO NOT CLOSE THE DOOR WHEN THEY ARE TAKING CHILDREN TO THE BATHROOM/ ASSISTING THEM WITH TOILETING. Notes: 3. ENSURE NO CHILDREN ARE PRESENT IN ROOM 14 WHILE HALLWAY BATHROOM IS BEING REPAIRED; KEEP DOOR IN HALLWAY CLOSED TO MAKE REPAIR AREA INACCESSIBLE TO CHILDREN; CHILDREN RELOCATED TO ROOM 18 ON THE DAY OF THIS INSPECTION. ABATED 11.27.2013 RECITED 12.16.2014 ABATED 3.3.2015 Activities & Discipline 15. Ensure that staff interact with children and provide children with: free choice of materials; a mixture of active and quiet experiences; a mixture of staff-directed and child-selected activities. ☐ 16. Provide a sufficient variety of age-appropriate activities. ☐ 17. Provide age-appropriate time frames for each activity. ☐ 18. Provide enough supplies, furniture and equipment for the required activities. ☐ 19. Plan and implement opportunities for school-age children's involvement in activity planning. ☐ 20. Take children outdoors daily. 9/3/2013 11/15/2013 ☐ 21. Prepare and post a written discipline policy including acceptable actions that staff members may take. 22. Use positive methods of guidance and discipline consistent with children's age and developmental needs: prohibit corporal and/or emotional punishment. Notes: 23. Ensure that school-age children participate in the development of discipline rules or are made aware the discipline rules. **Nutrition & Rest** □ 24. Ensure that food provided by the center is stored, prepared and served in a sanitary manner. ☐ 25. Serve lunch for children present from 11:00am to 1:00pm who have not eaten lunch and are at the center for at least 5 consecutive hours. ☐ 26. Provide the following additional food(s) for breakfast, lunch/dinner and/or snack: Notes: 27. Serve snack for children attending the center for at least 3 consecutive hours and for all children attending after school. ☐ 28. Provide age-appropriate seating for children who no longer need to be held for feeding. 29. Provide a written feeding plan for children less than 12 months of age. 9/3/2013 11/15/2013 ☐ 30. Label each child's bottle with the child's name. ☐ 31. Ensure that bottles are not propped when children are feeding. 32. Remove bottles when children have fallen asleep. 33. Provide daily rest period for each child aged 18 months to 5 years who attends the center for 4 or more consecutive hours and as needed for each child below 18 months. ☐ 34. Provide alternative activities for children who rest for 30 minutes and do not need more rest. 35. Provide the following sleeping equipment and bedding: cots; 1"mats; cribs; playpens; sheets; blankets. 11/15/2013 9/3/2013 ☐ 36. Ensure that sleeping equipment is free of pillows and soft bedding when occupied by a sleeping child. ☐ 37. Identify and store individually each child's sleeping equipment and bedding. ☐ 38. Provide enough light in rooms where children are napping to allow staff to see them. 9/3/2013 11/15/2013 ⊠ 39. Repair and/or replace sleeping equipment that is in disrepair. ☐ 40. Ensure that mats used for rest and sleep are placed on a surface that is warm, dry and clean. 1/9/2015 2/12/2015 ☐ 41. Provide infants/toddlers with opportunities to leave their sleeping equipment to crawl, walk and play. 42. Place children 18 months and younger in a face-up sleeping position unless indicated in writing by child's health care provider. Illnesses & Accidents

43. Designate an area where sick children can be separated from well children and provide rest

requiring professional medical attention. Report other injuries by end of the day.

witnesses; type of first aid used; treatment/consultation by a doctor.

44. Maintain illness log including: child's name; date; symptoms of illness observed; center's actions.

45. Notify parents immediately of the following: head injury; bite that breaks the skin; fall from a height; injury

2/7/2014

11/15/2013

9/3/2013

9/3/2013

| | | Center ID# 0/UN10008 Page 3 of 9 |
|------------------|--------------|--|
| | | 47. For sick care programs: provide separate rooms/area and toilet facilities for sick and well children; install partitions/room dividers to separate children with different illnesses; provide liquid soap. |
| | | 48. Provide for children with chicken pox: isolation room; floor to ceiling barriers; separate toilet facilities. |
| | | Administration & Parent Involvement |
| | | ☐ 49. Provide access to a phone, and ensure someone receives and transmits messages to the center. |
| 9/3/2013 | 11/15/2013 | 50. Develop a table of organization indicating lines of authority, responsibility and job descriptions. |
| 9/3/2013 | 11/13/2013 | 51. Ensure that the director is scheduled to work 50 % of the center's daily operating hours. |
| | | 52. Designate someone in the center to carry out the director's responsibilities when the director is absent. |
| | | 53. Ensure that the head teacher, group teacher and program supervisor are scheduled to work for the required |
| | | amount of time. |
| | | 54. Ensure that the head teacher/group teacher schedule time in other classrooms. |
| | | ☐ 55. Establish and maintain a staff substitute system. |
| | | ☐ 56. Hold parent/staff conferences semi-annually and upon request. |
| | | 57. Choose 1 of the following 4 options for parent involvement, and maintain documentation at the center: governing board; advisory committee; annual meeting; annual open house. |
| | | Program Records |
| | | 58. Complete and maintain at the center the staff records checklist. |
| Confidential N | otes: | |
| 9/3/2013 | 8/19/2014 | 59. Ensure that Child Abuse Record Information (CARI) checks are completed as required for the sponsor and all regularly scheduled staff. |
| Confidential No | otes: 5 STAF | |
| 9/3/2013 | 3/3/2015 | 60. Ensure that Criminal History Record Information (CHRI) checks are completed as required for the sponsor and all regularly scheduled staff. |
| Confidential No | otes: 2 STAI | FF; 8.19.2014 1 STAFF |
| Confidential INC | Jues. 2 STAI | 61. Provide the following records for the director, head teacher, group teacher or program supervisor: education / |
| | | training experience |
| 9/3/2013 | 11/15/2013 | 62. Hire and submit the required documentation for the following: director; head teacher; group teacher; program supervisor. |
| | | 63. Provide the required documentation for the director hired before March 21, 2005 who does not meet the |
| | | qualification requirements specified in 10:122-4.6(b)1-3 demonstrating completion of: a) the Director's Academy; b) the National Administrator Credential; or c) 45 clock hours of staff development that includes all |
| | | the subject areas as indicated in 10:122-4.6(b)4iii. |
| | | the subject areas as indicated in 10:122-4.6(b)4iii. 64. Provide complete orientation within two weeks of hire to all staff members in: center operations; policies and |
| | | procedures; supervision; tracking; group size limits; primary caregiver responsibilities; release policy; discipline |
| | | policy; health practices; evacuating the center; using fire alarms; recognizing and reporting child abuse/neglect. |
| 9/3/2013 | 2/7/2014 | 65. Maintain record of annual staff training on use of fire alarms and emergency evacuation procedures. |
| <i>J</i> /3/2013 | 2///2014 | 66. Ensure that new directors complete staff development in Understanding Licensing Regulations and Child |
| | | Behavior Management within one year of hire. |
| 9/3/2013 | 2/7/2014 | ☐ 67. Ensure that all full-time staff complete 8 hours annual training in the following core areas: child growth and |
| 7,0,20.0 | 2,7,2011 | development; positive guidance and discipline; health and safety. 68 Ensure that the director, head teacher, group teacher and program supervisor complete 20 hours or |
| 9/3/2013 | 2/7/2014 | annual training in 1 or more of the following: Director's Academy; National Administrator; |
| | | Credential; equivalent staff development in nine specific management areas. |
| | | 69. Maintain a record of the date and purpose of the consulting head teacher's 2 monthly on-site visits. |
| 9/3/2013 | 11/15/2013 | 70. Ensure that a staff member(s) who has current certified basic knowledge of first aid principles and CPR is at the |
| | | center at all times when enrolled children are present. 1. Complete and maintain at the center daily time sheets for staff and children with arrival and departure times. |
| | | 72. Maintain a written outline of daily activities. |
| 0/2/2012 | 11/15/2012 | 73. Complete and maintain at the center the children's records checklist. |
| 9/3/2013 | 11/15/2013 | 75. Complete and maintain at the center are emitators records effectives. |
| Confidential No | otes: | |
| | | 74. Submit the required OOL form certifying the center has reviewed the Department of Law and Public Safety (DLPS), Division of Consumer Affairs' (DCA), list of unsafe children's products and that |
| | | there are no unsafe products in the center. |
| | | ☐ 75. Maintain at the center the DLPS, DCA, list of unsafe children's products and make available to center staff and |
| 9/3/2013 | 11/15/2013 | parents of enrolled children. 76. Ensure that the Universal Health Record is updated annually. |
| 9/3/2013 | 11/13/2013 | 77. Obtain written approval from the child's parent before administering medication to a child. |
| | | 78. Maintain medication records that include the following: child's name and parental authorization; |
| | | name of the medication; illness being treated; dosage, frequency and other instructions; time and by |
| | | whom the medication was administered; any adverse effects. |
| | | ☐ 79. Maintain at the center and distribute to parents a written policy on communicable disease management. |

3/3/2015

3/3/2015

| | | Center ID# 0/UN10008 Page 5 01 9 |
|------------------------|---------------------------------------|--|
| | | 123. Arrange cribs, playpens and cots to provide access to an unobstructed 3-foot wide aisle that exits out. |
| | | 124.Provide and maintain in good condition: handrails on all stairs with 3 or more risers; guardrails on all open sides |
| | | of landing with intermediate guards spaced no more that 4 inches apart. 125.Install window guards, with approval of the local fire official, or provide an alternative method to ensure that |
| | | children cannot fall out of windows. |
| | | 126.Comply with the New Jersey Uniform Construction Code (NJUCC)/Fire Code: |
| | | 127. Summit a copy of the final Certificate of Occupancy (CO) or Certificate of Continued Occupancy (CCO) that |
| | | indicates the correct use group for the children served. |
| | | 128.Summit a copy of the Certificate of Approval, as issued by the local construction official, for changes in the |
| | | building subject to the NJUCC requiring the issuance of a building permit. |
| | | Environmental Safety |
| 9/3/2013 | 9/25/2013 | |
| | | ☐ 130.Submit a No Further Action Letter (NFA) or Child Care/Educational Facility Approval Letter |
| | | from the Department of Environmental Protection (DEP), or Response Action Outcome Letter (RAO) from a Licensed Site Remediation Professional (LSRP) indicating that no further action is needed for |
| | | the site on which the center is located. [Note: Check the DEP website at www.state.nj.us/dep/dccrequest for the |
| | | most current information.] |
| | | ☐ 131.Submit a water supply certification indicating the center is serviced by a public community water system demonstrated through a copy of a current bill from that water company. |
| | | ☐ 132.Submit current documentation from the DEP, Bureau of Safe Drinking Water (BSDW), for centers |
| | | not on a public community water system. [Note: Check the DEP, BSDW website at |
| | | www.state.nj.us/dep/dccrequest/safedrnk.htm or call (609) 292-5550 for more information.] 133.Submit a letter of prior uses from the municipality, county or state indicating whether the building has ever |
| | | housed a use classified under the NJUCC, NJSA, 5:23, as: Group F (factory/industry); Group H (high hazard); |
| | | Group S (storage); Group B (dry cleaner or nail salon); Group A (funeral home); or Group M (gas station.) |
| | | ☐ 134.Submit a current letter or other approval from the DHSS, Indoor Environments Program, for centers: a) colocated with a dry cleaner or nail salon; b) with one of the prior uses: F, H, S, B (dry cleaner, nail salon), A |
| 0/2/2012 | 4/6/2015 | (funeral home) or M (gas station); c) located in a building built in 1978 or earlier; or d) located near a known |
| 9/3/2013 | 4/6/2015 | hazardous area. [Note: Contact DHSS prior to taking action to confirm what |
| | | is needed for your center. Call DHSS at (609) 826-4923 or email DHSS using the link at |
| | | www.state.nj.us/health/eoh/tsrp/iep/ccc_ieha.shtml] 135.Test for the presence of radon gas and post the test results in a prominent location. |
| | | ☐ 136.Provide documentation that the center: completed a lead paint risk assessment; follows an approved lead paint |
| 9/3/2013 | 11/15/2013 | risk assessment management plan; verified the absence of a lead hazard; notified parents |
| | | of a lead hazard; completed the recommended remedial action to alleviate the lead paint hazard. |
| 9/3/2013 | 3/16/2015 | |
| | | |
| | | Building Maintenance |
| 9/3/2013 | 11/15/2013 | 138.Keep all surfaces clean and in good repair. |
| | | LES IN CEILING NEAR LIGHT FIXTURE IN ROOM 18-BATHROOM. |
| | | NT RUSTED WALL VENT IN ROOM 18-BATHROOM. |
| Notes: | 3. REPAIR/REP | PLACE CABINET DOOR ON CHANGING TABLE IN BOYS BATHROOM. |
| Notes. | RECITED 11.15 | 5 2013 |
| | | |
| | 4. CLEAN & SA | ANTIZE ALL CLASSKOOM EQUIFEMINT IN KOOM 14 EAFOSED TO DOST FROM DATHROOM |
| | | ANITIZE ALL CLASSROOM EQUIPEMNT IN ROOM 14 EXPOSED TO DUST FROM BATHROOM ALLWAY PRIOR TO CHILDREN REOCCUPYING CLASSROOM. ABATED 11.27.2013 |
| | | |
| 12/16/2014 | | ALLWAY PRIOR TO CHILDREN REOCCUPYING CLASSROOM. ABATED 11.27.2013 |
| 12/16/2014 9/3/2013 | REPAIRS IN HA | ALLWAY PRIOR TO CHILDREN REOCCUPYING CLASSROOM. ABATED 11.27.2013 139.Replace, clean and/or secure all stained, broken and/or missing floor tiles and carpeting. |
| | REPAIRS IN HA | ALLWAY PRIOR TO CHILDREN REOCCUPYING CLASSROOM. ABATED 11.27.2013 139.Replace, clean and/or secure all stained, broken and/or missing floor tiles and carpeting. 140.Replace, clean and/or secure all stained, broken and/or missing ceiling tiles. |
| 9/3/2013 | 12/16/2014 12/16/2014 | ALLWAY PRIOR TO CHILDREN REOCCUPYING CLASSROOM. ABATED 11.27.2013 139.Replace, clean and/or secure all stained, broken and/or missing floor tiles and carpeting. 140.Replace, clean and/or secure all stained, broken and/or missing ceiling tiles. 141.Eliminate moisture resulting from leaks or seepage. |
| 9/3/2013 | 12/16/2014 12/16/2014 | ALLWAY PRIOR TO CHILDREN REOCCUPYING CLASSROOM. ABATED 11.27.2013 139.Replace, clean and/or secure all stained, broken and/or missing floor tiles and carpeting. 140.Replace, clean and/or secure all stained, broken and/or missing ceiling tiles. 141.Eliminate moisture resulting from leaks or seepage. 142.Maintain the building structure to prevent drafts, leaks and infestation. |
| 9/3/2013 | 12/16/2014 12/16/2014 | ALLWAY PRIOR TO CHILDREN REOCCUPYING CLASSROOM. ABATED 11.27.2013 139.Replace, clean and/or secure all stained, broken and/or missing floor tiles and carpeting. 140.Replace, clean and/or secure all stained, broken and/or missing ceiling tiles. 141.Eliminate moisture resulting from leaks or seepage. 142.Maintain the building structure to prevent drafts, leaks and infestation. 143.Provide screens on: doors and windows used for ventilation; crawl spaces; attic spaces. |
| 9/3/2013 | 12/16/2014 12/16/2014 | ALLWAY PRIOR TO CHILDREN REOCCUPYING CLASSROOM. ABATED 11.27.2013 139.Replace, clean and/or secure all stained, broken and/or missing floor tiles and carpeting. 140.Replace, clean and/or secure all stained, broken and/or missing ceiling tiles. 141.Eliminate moisture resulting from leaks or seepage. 142.Maintain the building structure to prevent drafts, leaks and infestation. 143.Provide screens on: doors and windows used for ventilation; crawl spaces; attic spaces. 144.Provide safety glass/protective guards for windows and glass located within 36 inches above the floor. |
| 9/3/2013 12/16/2014 | 12/16/2014 12/16/2014 2/19/2015 | ALLWAY PRIOR TO CHILDREN REOCCUPYING CLASSROOM. ABATED 11.27.2013 139.Replace, clean and/or secure all stained, broken and/or missing floor tiles and carpeting. 140.Replace, clean and/or secure all stained, broken and/or missing ceiling tiles. 141.Eliminate moisture resulting from leaks or seepage. 142.Maintain the building structure to prevent drafts, leaks and infestation. 143.Provide screens on: doors and windows used for ventilation; crawl spaces; attic spaces. 144.Provide safety glass/protective guards for windows and glass located within 36 inches above the floor. 145.Provide protective covers for: electrical outlets; fluorescent tubes; incandescent light bulbs; fans. 146.Provide and maintain suitable protective devices for radiators, steam and hot water pipes. |
| 9/3/2013 | 12/16/2014 12/16/2014 | ALLWAY PRIOR TO CHILDREN REOCCUPYING CLASSROOM. ABATED 11.27.2013 139.Replace, clean and/or secure all stained, broken and/or missing floor tiles and carpeting. 140.Replace, clean and/or secure all stained, broken and/or missing ceiling tiles. 141.Eliminate moisture resulting from leaks or seepage. 142.Maintain the building structure to prevent drafts, leaks and infestation. 143.Provide screens on: doors and windows used for ventilation; crawl spaces; attic spaces. 144.Provide safety glass/protective guards for windows and glass located within 36 inches above the floor. 145.Provide protective covers for: electrical outlets; fluorescent tubes; incandescent light bulbs; fans. 146.Provide/maintain suitable protective devices for radiators, steam and hot water pipes. 147.Provide/maintain mechanical ventilation: in operating condition; clean; unobstructed; replace filters. |
| 9/3/2013 12/16/2014 | 12/16/2014 12/16/2014 2/19/2015 | ALLWAY PRIOR TO CHILDREN REOCCUPYING CLASSROOM. ABATED 11.27.2013 139.Replace, clean and/or secure all stained, broken and/or missing floor tiles and carpeting. 140.Replace, clean and/or secure all stained, broken and/or missing ceiling tiles. 141.Eliminate moisture resulting from leaks or seepage. 142.Maintain the building structure to prevent drafts, leaks and infestation. 143.Provide screens on: doors and windows used for ventilation; crawl spaces; attic spaces. 144.Provide safety glass/protective guards for windows and glass located within 36 inches above the floor. 145.Provide protective covers for: electrical outlets; fluorescent tubes; incandescent light bulbs; fans. 146.Provide and maintain suitable protective devices for radiators, steam and hot water pipes. 147.Provide/maintain mechanical ventilation: in operating condition; clean; unobstructed; replace filters. 148.Raise temperature to a minimum of 68 degrees Fahrenheit in all rooms used by children. |
| 9/3/2013 12/16/2014 | 12/16/2014 12/16/2014 2/19/2015 | ALLWAY PRIOR TO CHILDREN REOCCUPYING CLASSROOM. ABATED 11.27.2013 139.Replace, clean and/or secure all stained, broken and/or missing floor tiles and carpeting. 140.Replace, clean and/or secure all stained, broken and/or missing ceiling tiles. 141.Eliminate moisture resulting from leaks or seepage. 142.Maintain the building structure to prevent drafts, leaks and infestation. 143.Provide screens on: doors and windows used for ventilation; crawl spaces; attic spaces. 144.Provide safety glass/protective guards for windows and glass located within 36 inches above the floor. 145.Provide protective covers for: electrical outlets; fluorescent tubes; incandescent light bulbs; fans. 146.Provide/maintain suitable protective devices for radiators, steam and hot water pipes. 147.Provide/maintain mechanical ventilation: in operating condition; clean; unobstructed; replace filters. |
| 9/3/2013 12/16/2014 | 12/16/2014 12/16/2014 2/19/2015 | ALLWAY PRIOR TO CHILDREN REOCCUPYING CLASSROOM. ABATED 11.27.2013 139.Replace, clean and/or secure all stained, broken and/or missing floor tiles and carpeting. 140.Replace, clean and/or secure all stained, broken and/or missing ceiling tiles. 141.Eliminate moisture resulting from leaks or seepage. 142.Maintain the building structure to prevent drafts, leaks and infestation. 143.Provide screens on: doors and windows used for ventilation; crawl spaces; attic spaces. 144.Provide safety glass/protective guards for windows and glass located within 36 inches above the floor. 145.Provide protective covers for: electrical outlets; fluorescent tubes; incandescent light bulbs; fans. 146.Provide and maintain suitable protective devices for radiators, steam and hot water pipes. 147.Provide/maintain mechanical ventilation: in operating condition; clean; unobstructed; replace filters. 148.Raise temperature to a minimum of 68 degrees Fahrenheit in all rooms used by children. 149.Increase light in specific areas: |

Center ID# 07UNI0008

| | | 1480 017 |
|-----------|--------------|--|
| 2/12/2015 | 3/3/2015 | |
| | | 153.Pad lally columns in areas used by children to a height of 48 inches (EC) and 72 inches (SA). |
| | | ☐ 154.Ensure that stairways are free of tripping hazards. |
| | | ☐ 155.Provide a barrier extending at least 5 feet above floor level. |
| 9/3/2013 | 11/15/2013 | ☐ 156.Repair and/or paint surfaces in specified areas: |
| | | ☐ 157.Maintain indoor/outdoor garbage receptacles as follow: covered; emptied as needed; leakproof; clean. |
| 9/3/2013 | 11/15/2013 | 158.Ensure that indoor and outdoor equipment is sturdy, safe and free of hazards. |
| Notes: | 1. MAKE INAC | CCESIBLE ALL WIRES HANGING UNDER ALL TV'S |
| | | Outdoor Play Area, Equipment and Maintenance |
| | | ☐ 159. Provide and maintain in good condition a fence, enclosure or other barrier for the outside play area. |
| 9/3/2013 | 9/22/2014 | 160. Provide a barrier, in addition to the fence, for outdoor play areas exposed to vehicular traffic. |
| | | ☐ 161. Grade or provide drains for the outside play area. |
| | | ☐ 162. Ensure that outdoor areas and play equipment are free from stagnant water. |
| | | ☐ 163. Provide and maintain play equipment to meet public playground design standards (ASTM F-1487) as |
| | | specified by the Consumer Product Safety Commission (CPSC). (Not for profits by 10/18/14) 164. Ensure play equipment is specifically age-appropriate for the ages served. |
| | | 165. Repair or remove broken/rusted toys in the outdoor play area. |
| | | |
| 9/3/2013 | 11/15/2013 | |
| | | ☐ 167. Ensure that any community playground equipment used by the children complies with applicable |
| | | provisions of the Playground Safety Subcode. 168. Select an area for children's outdoor play that is adjacent to or within close proximity of the center. |
| | | ☐ 169. Ensure the safety of the children on route to the outdoor play area. |
| | | |
| 9/3/2013 | 11/15/2013 | |
| | | 171. Ensure that hazardous plants are not kept in the center or near outside areas used by children. |
| | | 172. Ensure that sand in the outdoor play area is asbestos-free and maintained in a sanitary manner. |
| | | ☐ 173. Provide 150 square feet of outdoor space for 5 children and 30 square feet for each additional child. |
| | | 174. Limit the number of children using the outdoor play area to the maximum capacity. |
| | | ☐ 175. Cease using dump and fill wading pools. |
| | | 176. Ensure swimming pools/natural bathing places used by children comply with applicable provisions of the Public Recreation Bathing Rules, as specified in NJAC 8:26, and with applicable provisions of the Building Subcode and Barrier-Free Subcode of the NJUCC, as specified in NJAC 5:23. |
| | | 177. Ensure that children using swimming pools or natural bathing facilities are supervised in accordance with applicable provisions of the N.J. Youth Camp Safety Act rules, as specified in NJAC 8:25. |
| | | ☐ 178. Provide lighting in parking areas, walkways and other exterior areas used by center occupants at night. |
| 8/19/2014 | 9/22/2014 | ☐ 179. Take necessary action to remove outdoor hazards. |

Page 7 of 9

Center ID# 07UNI0008

| ALERT: Effective 6/28/11, cribs manufactured, sold, or leased in the United States must comply with new federal standard centers must have compliant cribs in their facilities. For more information on crib safety and safe sleep environments: | | | | | | | |
|---|----------|--|--|--|--|--|--|
| information center at www.cpsc.gov/info/cribs/index.html. | | | | | | | |
| Director/Designee confirmed center does not provide or arrange for the provision of transportation of children. | | | | | | | |
| For centers providing transportation, see attached Transportation Inspection/Violation page. | | | | | | | |
| | Date | | | | | | |
| Inspector Signature Director/Designed Signature | 9/3/2013 | | | | | | |
| Inspector Signature Director/Designee Signature | 27372013 | | | | | | |
| LIZETTE VAZQUEZ | | | | | | | |
| | | | | | | | |

| щ | Date | Date | Inspection/Violation Report Attachment | | | |
|-----|------------|------------|---|--------|--|--|
| # | Cited | Abated | 1 | | | |
| 35 | 9/3/2013 | 11/15/2013 | ENSURE CRIBS COMPLY WITH NEW CPSC REGULATIONS: REPLACE CRIBS THAT DO NOT COMPLY. | Delete | | |
| 39 | 9/3/2013 | 11/15/2013 | REPAIR/REPLACE SLEEPING EQUIPMENT THAT IS IN DISREPAIR: MATS | Delete | | |
| 45 | 9/3/2013 | 2/7/2014 | NOTIFY PARENTS IMMEDIATELY OF A HEAD INJURY: RETRAIN STAFF. | Delete | | |
| 46 | 9/3/2013 | 11/15/2013 | MAINTAIN AN ACCIDENT LOG THAT INCLUDES THE FOLLOWING: UPDATE FORM TO INCLUDE PARENTAL NOTIFICATION. | Delete | | |
| 62 | 9/3/2013 | 11/15/2013 | HIRE AND SUBMIT THE REQUIRED DOCUMENTATION FOR THE FOLLOWING: HEAD TEACHER; GROUP TEACHER. | Delete | | |
| 120 | 9/3/2013 | 11/15/2013 | ENSURE THAT FIRE EXTINGUISHERS ARE SERVICED AND TAGGED ANNUALLY: ROOM 6; NEAR DOOR. | Delete | | |
| 129 | 9/3/2013 | 9/25/2013 | COMPLETE AND SUBMIT RENEWAL ATTESTATION FORM: SUBMIT DEP APPROVAL LETTER. | Delete | | |
| 134 | 9/3/2013 | 4/6/2015 | SUBMIT A CURRENT DOH CLEARANCE LETTER: CENTER LOCATED IN A BUILDING BUILT PRIOR TO 1978. | Delete | | |
| 137 | 9/3/2013 | 3/16/2015 | PROVIDE DOCUMENTATION THAT VERIFIES THE ABSENCE OF AN ASBESTOS HAZARD: BASEMENT. AS PER SUPERVISOR: PIPE WRAPPING IN BASEMENT IS FIBERGLASS. | Delete | | |
| 141 | 9/3/2013 | 12/16/2014 | ELIMINATE MOISTURE RESULTING FROM LEAKS OR SEEPAGE: BASEMENT | Delete | | |
| 147 | 9/3/2013 | 11/15/2013 | MAINTAIN MECHNICAL VENTILATION: CLEAN; GIRL'S BATHROOM. | Delete | | |
| 156 | 9/3/2013 | 11/15/2013 | REPAIR/REPAINT: 1. WALLS IN HALLWAY 2. WALLS IN ROOM 5. | Delete | | |
| 166 | 9/3/2013 | 11/15/2013 | MAINTAIN RESILIENT SURFACING: REPAIR EDGES THAT ARE SEPERATING. | Delete | | |
| 170 | 9/3/2013 | 11/15/2013 | REMOVE DEBRIS/OVERGROWN VEGETATION: REMOVE ALL DEBRIS FROM AREA BEHIND FENCE AROUND OUTDOOR PLAY AREA. | Delete | | |
| 138 | 9/3/2013 | 11/15/2013 | MAINTAIN ALL EQUIPMENT IN GOOD REPAIR: DOOR ON CHANGING TABLE DOOR; BATHROOM. | Delete | | |
| 14 | 11/15/2013 | 3/27/2014 | RECITED ENSURE CHILDREN'S SAFETY: 2. ENSURE STAFF DO NOT CLOSE THE DOOR WHEN THEY ARE TAKING CHILDREN TO THE BATHROOM/ASSISTING THEM WITH TOILETING. 3. ENSURE NO CHILDREN ARE PRESENT IN ROOM 14 WHILE HALLWAY BATHROOM IS BEING REPAIRED; KEEP DOOR IN HALLWAY CLOSED TO MAKE REPAIR AREA INACCESSIBLE TO CHILDREN; CHILDREN RELOCATED TO ROOM 18 ON THE DAY OF THIS INSPECTION. ABATED 11.27.2013. | | | |
| 62 | 11/15/2013 | 3/4/2015 | RECITED HIRE/SUBMIT EDUCATION/EXPERIENCE DOCUMENTATION: CONSULTING HEAD TEACHER | Delete | | |
| 138 | 11/15/2013 | 11/27/2013 | RECITED KEEP ALL SURFACES CLEAN: CLEAN & SANITIZE ALL CLASSROOM EQUIPEMNT IN ROOM 14 EXPOSED TO DUST FROM BATHROOM REPAIRS IN HALLWAY PRIOR TO CHILDREN REOCCUPYING CLASSROOM. | Delete | | |
| 156 | 8/19/2014 | 9/22/2014 | RECITED SAND/REPAINT: OUTDOOR PLAY AREA FENCE. | Delete | | |
| 170 | 8/19/2014 | 9/22/2014 | RECITED REMOVE DEBRIS/OVERGROWN VEGETATION: REMOVE ALL DEBRIS FROM AREA BEHIND FENCE AROUND OUTDOOR PLAY AREA. | Delete | | |
| 179 | 8/19/2014 | 9/22/2014 | TAKE ACTION TO REMOVE OUTDOOR HAZARDS: MAINTAIN THE PARKING AREA FREE OF POT HOLES; MAINTAIN WALKING PATH TO OUTDOOR PLAY AREA LEVEL AND FREE FROM TRIPPING HAZARDS. | Delete | | |
| 5 | 12/16/2014 | 1/9/2015 | MAINTAIN REQUIRED STAFF/CHILD RATIOS AT ALL TIMES: 17 INFANTS/TODDLERS 0-18 MONTHS; 1:4 RATIO; 5 SYAFF REQUIRED 2 STAFF PRESENT. | Delete | | |
| 14 | 12/16/2014 | 3/3/2015 | RECITED ENSURE CHILDREN'S SAFETY: MAKE BOILER LOCATED NEXT TO THE INFANT ROOM INACCESSIBLE TO CHILDREN. | Delete | | |
| 140 | 12/16/2014 | 12/16/2014 | REPLACE STAINED CEILING TILES: REPLACE STAINED CEILING TILES IN SPECIFIED LOCATIONS AS PER DOH LETTER DATED 12.4.2014 | Delete | | |
| 142 | 12/16/2014 | 2/19/2015 | MAINTAIN BUILDING FREE OF LEAKS: SUBMIT DOCUMENTATION OF WORK DONE TO MAINTAIN BUILDING FREE OF LEAKS: BASEMENT & ROOF; AS PER DOH LETTER DATED 12.4.2014. | Delete | | |
| 152 | 2/12/2015 | 3/3/2015 | ENSURE APPLIANCES ARE SECURE TO A STABLE SURFACE: INFNAT ROOM REFRIGERATOR. | Delete | | |

Page 9 of 9